



### VPNS Trapezoidal Reinforced Profile

Material:	<b>Volta PN, Green</b>
Hardness:	88A / 37D
Temp. Range:	- 20°F to +140°F

Coefficient of friction :	
Steel:	0.38
Aluminum:	0.38



BELT TYPE	DIMENSIONS W x H inch X inch	WEIGHT lbs/ft	MIN. PULLEY Ø inch	MAX. WORK LOAD lbs	PULL FORCE (lb) AT PRETENSION			DRILL BIT
					1.0 %	1.5 %	2.0 %	
VPNS-13/A	1/2 x 5/16	0.07	3 5/8	99	61.5	92.5	NR	I
VPNS-17/B	5/8 x 7/16	0.12	4 5/8	167	94.5	143	NR	II
VPNS-22/C	7/8 x 35/64	0.19	5 3/4	280	107.8	163	215.5	III
VPNS-13/A-RT	1/2 x 5/8	0.11	6 1/2	135	50	75	100	I
VPNS-17/B-RT	5/8 x 49/64	0.17	8 1/8	253	101.2	152	202.4	II
VPNS-22/C-RT	7/8 x 31/32	0.30	10 1/4	420	114.5	171.5	229	III

Notes

1. Pull Force in tables relate to Steel and Aluminum grooved pulleys.  
Multiply given values by 0.7 for wet pulleys.
2. Dimensions have been converted from metric measurements.
3. All values are nominal and to the best of our experience are true and accurate.
4. NR = Not Recommended.